

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	331	compensat\$3 same current near2 (control source driver) with (increasing\$2 decreasing\$2 on near off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:11
L2	8	compensat\$3 same current near2 (control source driver) with (increasing\$2 decreasing\$2) with (on off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:31
L3	235	current near (control source driver) with (increasing\$2 decreasing\$2) with (on off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:08
L4	54	current near (control source driver) with (increasing\$2 decreasing\$2) with (on off) and compensat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:32
L5	53	current near (control source driver) with (increasing\$2 decreasing\$2) with (on off) and compensat\$3 and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:32
L6	293	current near (control source driver) with (increas\$5 decreas\$5) with (on off) and compensat\$3 and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:33
L7	38	current near (control source driver) with (increas\$5 decreas\$5) near3 (on off) and compensat\$3 and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:33
L8	52	current near (control source driver) near6 (increas\$5 decreas\$5) near3 (on off) and compensat\$3 and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:34
L9	33	current near (control source driver) near4 (increas\$5 decreas\$5) near3 (on off) and compensat\$3 and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:34

L10	237047	compensat\$3 and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:34
L11	33	current near (control source driver) near4 (increas\$5 decreas\$5) near3 (on off) and l10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:56
L12	1005	(common-mode common adj mode) and "1.8"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:48
L13	414	baseline near wander\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:56
L14	2	l12 and l13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:57
L15	2	("6211716").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 14:01
L16	365	l12 and differential near signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:01
L17	133	(common-mode common adj mode) with differential near signal and "1.8"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:15
L18	0	(multiple number two three plurality) near2 unit near2 current near (control source driver) with (on and off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:31
L19	2	(multiple number two three plurality) near2 current near (control source driver) same on near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:36

L20	0	unit near current near (supply source driver) with on with off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:35
L21	724	unit near current near (supply source driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:35
L22	82	(multiple number two three plurality) near3 l21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:36
L23	0	l22 same on same off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:36
L24	30	l22 same (compensat\$3 adjust\$3 chang\$3 add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:48
L25	132	(common-mode common adj mode) same "1.8"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:49
L26	53	(common-mode common adj mode) with "1.8"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:21
L27	42	l26 with (power near supply voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:36
L28	849	(purpose benefit advantage) with (common-mode common adj mode) with (power supply voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:50
L29	350	(purpose benefit advantage) with (common-mode common adj mode) near (power supply voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:51

L30	303	(purpose benefit advantage) near10 (common-mode common adj mode) near (power supply voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:51
L31	105	I30 same differential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:51
L32	58	I30 with differential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:52
L33	6	I30 with differential near (data signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:52
L34	4	I26 same differential near (signal data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:53
L35	42	I26 with voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:15
L36	7	(common-mode common adj mode) near2 (power supply) with differential near (data signal) with voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:16
L37	1225	((375/257) or (375/288)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:37
S1	4160	(DC near (compensat\$3 offset off-set)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:35
S2	414	baseline near wander\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:46

S3	4160	(DC near (compensat\$3 offset off-set)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 13:25
S4	414	baseline near wander\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:46
S5	773	(S3 or S4).ab. same current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:47
S6	4260	(DC near (compensat\$3 offset off-set correcti\$2) or baseline near wander\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:03
S7	16	S6 and (compar\$3 correlat\$3) with (reference predetermined) and (dynamical\$2 adapti\$4 variable varying) near2 (compensat\$3 correct\$3 adjust\$3) near2 (baseline DC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:03
S8	160	((compensat\$3 offset off-set correcti\$2 wander\$3) near baseline).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:03
S9	3	S8 and (compar\$3 correlat\$3) with (reference predetermined) and (dynamical\$2 adapti\$4 variable varying) near2 (compensat\$3 correct\$3 adjust\$3) near2 (baseline DC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:07
S10	21	S8 and (compar\$3 correlat\$3) with (reference predetermined value) and (dynamical\$2 adapti\$4 variable varying) with (compensat\$3 correct\$3 adjust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:27
S11	15	S10 and current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:22
S12	2	("20030031263").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:30

S13	2	("5844439").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:10
-----	---	-----------------	---	----	-----	------------------